



Visit product page



**IP65**

## FOS ULTRA PAR IP65

L006049

Professional IP65 motorized Zoom Par 5-45 degrees, 7 leds 40 watt RGBW 4in1, linear dimmer, 11 channels DMX 512 and RDM control, built in programs, color temperature adjustment, weather proof plugs, aluminum housing, 8 kg.

### TECHNICAL DETAILS

#### Features

- IP65 Washlight par, based on 7x RGBW LEDs with motorized zoom.
- Weather proof power and DMX signal connectors.
- Ideal for outdoor and indoor applications.
- Temperature control cooling system.
- Robust aluminium structure.
- Seetronic connectors.

#### Technical Specifications

- Light source: 7x RGBW LEDs, 40 Watt each.
- Linear motorised zoom from 5 to 45 degrees.
- electronic dimmer & strobe.
- OLED display for options menu.
- 4 dimmer curves, selectable via the onboard menu.
- Aluminium housing.
- RDM supported.
- IP65 protection rate, against dust and water sprays.
- Power supply: 100/240 Volt AC, 50/60 Hz.
- Power consumption: 300 Watt.
- Dimensions: 29,6 x 22 x 43,6 cm.
- Packing size: 27,5 x 27,5 x 55 cm.

Net weight: 8 Kgs.

## PHOTOS



## PRODUCT VIDEO



## ACCESSORIES



### FC-PT

Powercon true male/female set.



### FC-TP-PDC-3

Professional TruePowercon/ DMX cable 3 meter.



### FOS SUPER CLAMP 200

Professional clamp for fixtures lifting weight 200



### FOS SUPER CLAMP 200 BLACK

Professional clamp for fixtures lifting weight 200



### FOS Case Ultra Par

Flight case with wheels for 4 pcs Ultra Par.

