

EUROLITE LED CSL-50 Spotlight black

High power 50 W spotlight with neutral white light

Art. No.: 41600492

GTIN: 4026397716252



List price: 106.98 €

incl. 19% VAT.

Features:

- 1 powerful LED 70 W high-power neutral white (NW)
- Good color rendering index (CRI)
- With a beam angle of 50°
- The device is cooled by passive convection cooling
- With Mounting bracket
- Control via plug and play
- For application areas such as: Trade fair and shop fitting; Installation; restaurants, bars and hotels
- Silent operation
- Application possibility: Suspended; on tripod; Wall mounting

Package contents

- 1 x spotlight, 1 x barn door, 1 x user manual

Logistic

EAN / GTIN: 4026397716252

Weight: 2,25 kg

Length: 0.30 m

Width: 0.23 m

Height: 0.14 m

Technical specifications:

Power supply: 100-240 V AC, 50/60 Hz

Power consumption: 50 W

IP classification: IP20

Protection class: Protection class I

Power connection: Fixed power supply cord with safety plug

Cable construction: 3 x 0,75 mm² H05VV-F

Cable length: Approx. 0,8 m

Fuse:	T 1 A Fuse fix on board
Lamp type:	LED lamp
LED:	1 x 70 W high-power neutral white (NW)
Color temperature:	4100K
Cooling:	Passive convection cooling
Control:	Plug and play
Beam angle:	50°
Beam angle (1/2 peak):	50°
Beam angle (1/10 peak):	90°
Color rendering index (CRI):	82 Ra
Illuminance in Lux (lx):	1m: 2551 lx, 3m: 348 lx, 6m: 104 lx
Luminous flux:	3462 lm
Housing color:	Black
Attachment system:	Mounting bracket
Material:	Aluminum casting; metal
Color:	Black
Dimensions:	Length: 21,0 cm Width: 20,5 cm Height: 22,0 cm
Weight:	2,00 kg
Noise classification:	Class 0 (no noise at all)
Energy efficiency class (A - G):	G
Mounting bracket	
Diameter mounting holes:	1 x Ø10mm; 1 x Ø8mm
Material:	Metal, 2 mm
Dimensions:	Width: 19,7 cm Depth: 2,5 cm Height: 14,5 cm
Holder	
Diameter mounting holes:	1 x Ø10mm; 6 x Ø4mm
Material:	Metal, 2,5 mm
Color:	Silvergrey, zinc-plated
Dimensions:	Length: 10,5 cm Width: 2,8 cm
Barndoor	
Diameter mounting holes:	2 x Ø4mm
Material:	Metal, 1 mm
Color:	Black, matte